

Doppelbrechung als Funktion des Kippwinkels für den Ehringhaus–Kippkompensator Nummer 0815 der Firma Zeiss.

Gangunterschied [nm] als Funktion der Wellenlänge [nm] und des doppelten Kippwinkels [Grad] für einen Ehringhaus-Kompensator aus CaCO_3 der Dicke $1000\text{ }\mu\text{m}$.

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
0.4	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
0.6	1.9	1.9	1.9	1.8	1.8	1.8	1.8	1.8
0.8	3.3	3.3	3.3	3.3	3.2	3.2	3.2	3.2
1.0	5.2	5.2	5.1	5.1	5.1	5.0	5.0	5.0
1.2	7.5	7.4	7.4	7.4	7.3	7.3	7.3	7.2
1.4	10.2	10.1	10.1	10.0	9.9	9.9	9.9	9.8
1.6	13.3	13.2	13.2	13.1	13.0	12.9	12.9	12.8
1.8	16.9	16.7	16.7	16.5	16.4	16.3	16.3	16.2
2.0	20.8	20.6	20.6	20.4	20.3	20.2	20.1	20.0
2.2	25.2	25.0	24.9	24.7	24.5	24.4	24.4	24.2
2.4	30.0	29.7	29.6	29.4	29.2	29.1	29.0	28.8
2.6	35.2	34.9	34.8	34.5	34.3	34.1	34.0	33.8
2.8	40.8	40.4	40.3	40.0	39.8	39.5	39.5	39.2
3.0	46.9	46.4	46.3	46.0	45.6	45.4	45.3	45.0
3.2	53.3	52.8	52.6	52.3	51.9	51.6	51.6	51.2
3.4	60.2	59.6	59.4	59.0	58.6	58.3	58.2	57.8
3.6	67.5	66.8	66.6	66.2	65.7	65.4	65.3	64.8
3.8	75.2	74.5	74.2	73.7	73.2	72.8	72.7	72.2
4.0	83.3	82.5	82.3	81.7	81.1	80.7	80.6	80.0
4.2	91.9	91.0	90.7	90.1	89.4	89.0	88.8	88.2
4.4	100.8	99.8	99.5	98.9	98.2	97.6	97.5	96.8
4.6	110.2	109.1	108.8	108.1	107.3	106.7	106.6	105.8
4.8	120.0	118.8	118.4	117.7	116.8	116.2	116.0	115.2
5.0	130.2	128.9	128.5	127.7	126.7	126.1	125.9	125.0
5.2	140.8	139.4	139.0	138.1	137.1	136.4	136.2	135.2
5.4	151.8	150.4	149.9	148.9	147.8	147.0	146.8	145.8
5.6	163.3	161.7	161.2	160.1	159.0	158.1	157.9	156.8
5.8	175.2	173.5	172.9	171.8	170.5	169.6	169.4	168.2
6.0	187.4	185.6	185.0	183.8	182.5	181.5	181.3	180.0
6.2	200.1	198.2	197.6	196.3	194.9	193.8	193.5	192.2
6.4	213.3	211.2	210.5	209.1	207.6	206.5	206.2	204.8
6.6	226.8	224.6	223.9	222.4	220.8	219.6	219.3	217.8

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
6.8	240.7	238.4	237.7	236.1	234.4	233.1	232.8	231.2
7.0	255.1	252.6	251.8	250.2	248.4	247.0	246.7	245.0
7.2	269.9	267.3	266.4	264.7	262.8	261.4	261.0	259.1
7.4	285.1	282.3	281.4	279.6	277.5	276.1	275.7	273.7
7.6	300.7	297.8	296.8	294.9	292.7	291.2	290.7	288.7
7.8	316.7	313.6	312.6	310.6	308.3	306.7	306.2	304.1
8.0	333.1	329.9	328.9	326.7	324.3	322.6	322.1	319.9
8.2	350.0	346.6	345.5	343.2	340.8	338.9	338.4	336.1
8.4	367.3	363.7	362.6	360.2	357.6	355.7	355.1	352.7
8.6	385.0	381.2	380.0	377.5	374.8	372.8	372.2	369.6
8.8	403.0	399.2	397.9	395.3	392.4	390.3	389.7	387.0
9.0	421.6	417.5	416.2	413.4	410.4	408.2	407.6	404.8
9.2	440.5	436.2	434.8	432.0	428.9	426.6	425.9	423.0
9.4	459.8	455.4	453.9	450.9	447.7	445.3	444.6	441.5
9.6	479.6	475.0	473.4	470.3	466.9	464.4	463.8	460.5
9.8	499.8	494.9	493.4	490.1	486.6	484.0	483.3	479.9
10.0	520.3	515.3	513.7	510.3	506.6	503.9	503.2	499.7
10.2	541.3	536.1	534.4	530.9	527.1	524.3	523.5	519.8
10.4	562.8	557.3	555.5	551.9	547.9	545.0	544.2	540.4
10.6	584.6	578.9	577.1	573.3	569.2	566.1	565.3	561.3
10.8	606.8	601.0	599.1	595.1	590.8	587.7	586.8	582.7
11.0	629.5	623.4	621.4	617.3	612.9	609.6	608.7	604.5
11.2	652.6	646.3	644.2	639.9	635.3	632.0	631.0	626.6
11.4	676.0	669.5	667.4	663.0	658.2	654.7	653.7	649.2
11.6	699.9	693.2	691.0	686.4	681.5	677.8	676.8	672.1
11.8	724.2	717.3	715.0	710.2	705.1	701.4	700.3	695.4
12.0	749.0	741.7	739.4	734.5	729.2	725.3	724.2	719.2
12.2	774.1	766.6	764.2	759.1	753.7	749.7	748.5	743.3
12.4	799.7	791.9	789.4	784.2	778.5	774.4	773.3	767.9
12.6	825.6	817.6	815.0	809.7	803.8	799.6	798.4	792.8
12.8	852.0	843.8	841.1	835.5	829.5	825.1	823.9	818.1
13.0	878.8	870.3	867.5	861.8	855.6	851.0	849.8	843.8
13.2	906.0	897.2	894.4	888.5	882.1	877.4	876.1	870.0
13.4	933.6	924.6	921.6	915.5	908.9	904.1	902.8	896.5
13.6	961.6	952.3	949.3	943.0	936.2	931.3	929.9	923.4
13.8	990.0	980.5	977.4	970.9	963.9	958.8	957.4	950.7
14.0	1018.9	1009.1	1005.8	999.2	992.0	986.7	985.3	978.4
14.2	1048.1	1038.0	1034.7	1027.9	1020.5	1015.1	1013.6	1006.5
14.4	1077.8	1067.4	1064.0	1057.0	1049.4	1043.8	1042.3	1035.0
14.6	1107.9	1097.2	1093.7	1086.5	1078.7	1072.9	1071.3	1063.9
14.8	1138.4	1127.4	1123.8	1116.4	1108.4	1102.5	1100.8	1093.2
15.0	1169.3	1158.0	1154.3	1146.7	1138.5	1132.4	1130.7	1122.8
15.2	1200.6	1189.0	1185.2	1177.4	1168.9	1162.7	1161.0	1152.9
15.4	1232.3	1220.5	1216.6	1208.5	1199.8	1193.5	1191.7	1183.4

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
15.6	1264.5	1252.3	1248.3	1240.1	1231.1	1224.6	1222.8	1214.2
15.8	1297.0	1284.5	1280.4	1272.0	1262.8	1256.1	1254.2	1245.5
16.0	1330.0	1317.2	1313.0	1304.3	1294.9	1288.0	1286.1	1277.1
16.2	1363.4	1350.2	1345.9	1337.0	1327.4	1320.3	1318.4	1309.2
16.4	1397.1	1383.7	1379.2	1370.1	1360.3	1353.1	1351.0	1341.6
16.6	1431.3	1417.5	1413.0	1403.7	1393.6	1386.2	1384.1	1374.5
16.8	1465.9	1451.8	1447.1	1437.6	1427.3	1419.7	1417.6	1407.7
17.0	1500.9	1486.4	1481.7	1471.9	1461.3	1453.6	1451.4	1441.3
17.2	1536.3	1521.5	1516.7	1506.7	1495.8	1487.9	1485.7	1475.3
17.4	1572.2	1557.0	1552.0	1541.8	1530.7	1522.6	1520.3	1509.7
17.6	1608.4	1592.9	1587.8	1577.3	1566.0	1557.7	1555.4	1544.5
17.8	1645.0	1629.2	1624.0	1613.3	1601.7	1593.2	1590.8	1579.7
18.0	1682.1	1665.9	1660.6	1649.6	1637.7	1629.1	1626.6	1615.3
18.2	1719.6	1703.0	1697.5	1686.4	1674.2	1665.3	1662.9	1651.3
18.4	1757.4	1740.5	1734.9	1723.5	1711.1	1702.0	1699.5	1687.6
18.6	1795.7	1778.4	1772.7	1761.0	1748.4	1739.1	1736.5	1724.4
18.8	1834.4	1816.7	1810.9	1799.0	1786.0	1776.6	1773.9	1761.5
19.0	1873.5	1855.4	1849.5	1837.3	1824.1	1814.4	1811.7	1799.1
19.2	1913.0	1894.5	1888.5	1876.1	1862.6	1852.7	1849.9	1837.0
19.4	1952.9	1934.1	1927.9	1915.2	1901.4	1891.3	1888.5	1875.4
19.6	1993.2	1974.0	1967.7	1954.7	1940.7	1930.4	1927.5	1914.1
19.8	2033.9	2014.3	2007.9	1994.7	1980.3	1969.8	1966.9	1953.2
20.0	2075.0	2055.0	2048.5	2035.0	2020.4	2009.6	2006.7	1992.7
20.2	2116.6	2096.2	2089.5	2075.7	2060.8	2049.9	2046.8	2032.6
20.4	2158.5	2137.7	2130.9	2116.9	2101.7	2090.5	2087.4	2072.9
20.6	2200.9	2179.7	2172.7	2158.4	2142.9	2131.5	2128.3	2113.5
20.8	2243.6	2222.0	2214.9	2200.3	2184.5	2172.9	2169.7	2154.6
21.0	2286.8	2264.7	2257.5	2242.7	2226.5	2214.7	2211.4	2196.0
21.2	2330.3	2307.9	2300.5	2285.4	2269.0	2256.9	2253.6	2237.9
21.4	2374.3	2351.4	2343.9	2328.5	2311.8	2299.5	2296.1	2280.1
21.6	2418.7	2395.4	2387.8	2372.0	2355.0	2342.5	2339.0	2322.7
21.8	2463.5	2439.7	2432.0	2415.9	2398.6	2385.9	2382.3	2365.7
22.0	2508.6	2484.5	2476.6	2460.3	2442.6	2429.6	2426.0	2409.1
22.2	2554.2	2529.6	2521.6	2505.0	2487.0	2473.8	2470.1	2452.9
22.4	2600.2	2575.2	2567.0	2550.1	2531.8	2518.3	2514.6	2497.1
22.6	2646.6	2621.1	2612.8	2595.6	2576.9	2563.3	2559.4	2541.6
22.8	2693.4	2667.5	2659.0	2641.5	2622.5	2608.6	2604.7	2586.6
23.0	2740.6	2714.2	2705.6	2687.8	2668.5	2654.3	2650.4	2631.9
23.2	2788.2	2761.4	2752.6	2734.5	2714.8	2700.4	2696.4	2677.6
23.4	2836.2	2808.9	2800.0	2781.5	2761.6	2746.9	2742.8	2723.8
23.6	2884.6	2856.9	2847.8	2829.0	2808.7	2793.8	2789.7	2770.3
23.8	2933.4	2905.2	2896.0	2876.9	2856.2	2841.1	2836.9	2817.1
24.0	2982.7	2953.9	2944.6	2925.2	2904.2	2888.8	2884.5	2864.4
24.2	3032.3	3003.1	2993.5	2973.8	2952.5	2936.8	2932.5	2912.1

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
24.4	3082.3	3052.6	3042.9	3022.9	3001.2	2985.3	2980.8	2960.1
24.6	3132.7	3102.6	3092.7	3072.3	3050.3	3034.1	3029.6	3008.5
24.8	3183.5	3152.9	3142.9	3122.2	3099.8	3083.3	3078.8	3057.3
25.0	3234.8	3203.6	3193.4	3172.4	3149.7	3133.0	3128.3	3106.5
25.2	3286.4	3254.8	3244.4	3223.1	3199.9	3183.0	3178.2	3156.1
25.4	3338.4	3306.3	3295.8	3274.1	3250.6	3233.4	3228.5	3206.1
25.6	3390.8	3358.2	3347.5	3325.5	3301.6	3284.1	3279.3	3256.5
25.8	3443.6	3410.5	3399.7	3377.3	3353.1	3335.3	3330.3	3307.2
26.0	3496.9	3463.2	3452.2	3429.5	3404.9	3386.9	3381.8	3358.3
26.2	3550.5	3516.3	3505.2	3482.1	3457.1	3438.8	3433.7	3409.8
26.4	3604.5	3569.8	3558.5	3535.1	3509.7	3491.1	3485.9	3461.7
26.6	3658.9	3623.7	3612.2	3588.5	3562.7	3543.8	3538.6	3514.0
26.8	3713.7	3678.0	3666.3	3642.2	3616.1	3596.9	3591.6	3566.6
27.0	3768.9	3732.7	3720.8	3696.4	3669.9	3650.4	3645.0	3619.7
27.2	3824.6	3787.8	3775.8	3750.9	3724.0	3704.3	3698.8	3673.1
27.4	3880.6	3843.3	3831.1	3805.9	3778.6	3758.6	3753.0	3726.9
27.6	3937.0	3899.1	3886.7	3861.2	3833.5	3813.2	3807.5	3781.1
27.8	3993.8	3955.4	3942.8	3916.9	3888.8	3868.2	3862.5	3835.6
28.0	4051.0	4012.0	3999.3	3973.0	3944.5	3923.6	3917.8	3890.6
28.2	4108.6	4069.1	4056.2	4029.5	4000.6	3979.4	3973.5	3945.9
28.4	4166.6	4126.5	4113.4	4086.4	4057.1	4035.6	4029.6	4001.6
28.6	4225.0	4184.4	4171.1	4143.7	4114.0	4092.2	4086.1	4057.7
28.8	4283.7	4242.6	4229.1	4201.3	4171.2	4149.1	4143.0	4114.2
29.0	4342.9	4301.2	4287.5	4259.4	4228.8	4206.4	4200.2	4171.0
29.2	4402.5	4360.2	4346.4	4317.8	4286.8	4264.2	4257.8	4228.3
29.4	4462.5	4419.6	4405.6	4376.6	4345.3	4322.3	4315.8	4285.9
29.6	4522.8	4479.4	4465.2	4435.8	4404.0	4380.7	4374.2	4343.9
29.8	4583.6	4539.5	4525.1	4495.4	4463.2	4439.6	4433.0	4402.2
30.0	4644.7	4600.1	4585.5	4555.4	4522.8	4498.8	4492.2	4461.0
30.2	4706.3	4661.1	4646.3	4615.8	4582.7	4558.5	4551.7	4520.1
30.4	4768.2	4722.4	4707.4	4676.5	4643.0	4618.5	4611.6	4579.6
30.6	4830.5	4784.1	4769.0	4737.7	4703.7	4678.8	4671.9	4639.5
30.8	4893.3	4846.3	4830.9	4799.2	4764.8	4739.6	4732.6	4699.7
31.0	4956.4	4908.8	4893.2	4861.1	4826.3	4800.7	4793.6	4760.4
31.2	5019.9	4971.7	4955.9	4923.4	4888.1	4862.3	4855.1	4821.4
31.4	5083.8	5035.0	5019.0	4986.1	4950.3	4924.2	4916.9	4882.8
31.6	5148.1	5098.6	5082.5	5049.1	5013.0	4986.5	4979.1	4944.5
31.8	5212.7	5162.7	5146.3	5112.6	5075.9	5049.1	5041.6	5006.7
32.0	5277.8	5227.1	5210.6	5176.4	5139.3	5112.2	5104.6	5069.2
32.2	5343.3	5292.0	5275.2	5240.6	5203.1	5175.6	5167.9	5132.1
32.4	5409.1	5357.2	5340.2	5305.2	5267.2	5239.4	5231.6	5195.3
32.6	5475.3	5422.8	5405.6	5370.1	5331.7	5303.5	5295.7	5259.0
32.8	5542.0	5488.8	5471.4	5435.5	5396.6	5368.1	5360.1	5323.0
33.0	5609.0	5555.2	5537.6	5501.2	5461.9	5433.0	5425.0	5387.3

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
33.2	5676.4	5621.9	5604.1	5567.4	5527.5	5498.3	5490.2	5452.1
33.4	5744.2	5689.1	5671.0	5633.8	5593.5	5564.0	5555.7	5517.2
33.6	5812.3	5756.6	5738.4	5700.7	5659.9	5630.0	5621.7	5582.7
33.8	5880.9	5824.5	5806.0	5768.0	5726.7	5696.5	5688.0	5648.6
34.0	5949.8	5892.8	5874.1	5835.6	5793.9	5763.3	5754.7	5714.9
34.2	6019.2	5961.5	5942.6	5903.6	5861.4	5830.4	5821.8	5781.5
34.4	6088.9	6030.5	6011.4	5972.0	5929.3	5898.0	5889.3	5848.5
34.6	6159.0	6100.0	6080.6	6040.8	5997.6	5965.9	5957.1	5915.8
34.8	6229.5	6169.8	6150.2	6109.9	6066.2	6034.2	6025.3	5983.6
35.0	6300.4	6240.0	6220.2	6179.5	6135.3	6102.9	6093.9	6051.7
35.2	6371.6	6310.6	6290.6	6249.4	6204.7	6171.9	6162.8	6120.1
35.4	6443.3	6381.5	6361.3	6319.7	6274.5	6241.4	6232.1	6189.0
35.6	6515.3	6452.9	6432.4	6390.3	6344.6	6311.1	6301.8	6258.2
35.8	6587.7	6524.6	6503.9	6461.3	6415.2	6381.3	6371.9	6327.7
36.0	6660.5	6596.7	6575.8	6532.8	6486.1	6451.8	6442.3	6397.7
36.2	6733.7	6669.2	6648.1	6604.5	6557.3	6522.7	6513.1	6468.0
36.4	6807.2	6742.0	6720.7	6676.7	6629.0	6594.0	6584.3	6538.7
36.6	6881.2	6815.3	6793.7	6749.2	6701.0	6665.7	6655.8	6609.7
36.8	6955.5	6888.9	6867.1	6822.1	6773.4	6737.7	6727.7	6681.2
37.0	7030.2	6962.9	6940.9	6895.4	6846.2	6810.1	6800.0	6752.9
37.2	7105.3	7037.2	7015.0	6969.1	6919.3	6882.8	6872.6	6825.1
37.4	7180.7	7112.0	7089.5	7043.1	6992.8	6955.9	6945.6	6897.6
37.6	7256.6	7187.1	7164.4	7117.5	7066.7	7029.4	7019.0	6970.5
37.8	7332.8	7262.6	7239.6	7192.3	7140.9	7103.3	7092.8	7043.7
38.0	7409.4	7338.5	7315.3	7267.4	7215.5	7177.5	7166.9	7117.3
38.2	7486.4	7414.7	7391.3	7342.9	7290.5	7252.1	7241.4	7191.3
38.4	7563.7	7491.3	7467.7	7418.8	7365.9	7327.0	7316.2	7265.6
38.6	7641.4	7568.3	7544.4	7495.1	7441.6	7402.4	7391.4	7340.3
38.8	7719.5	7645.7	7621.6	7571.7	7517.7	7478.1	7467.0	7415.4
39.0	7798.0	7723.4	7699.0	7648.7	7594.1	7554.1	7543.0	7490.8
39.2	7876.9	7801.6	7776.9	7726.1	7670.9	7630.5	7619.3	7566.6
39.4	7956.1	7880.0	7855.2	7803.8	7748.1	7707.3	7695.9	7642.7
39.6	8035.7	7958.9	7933.8	7881.9	7825.7	7784.5	7773.0	7719.2
39.8	8115.7	8038.1	8012.7	7960.4	7903.6	7862.0	7850.4	7796.1
40.0	8196.1	8117.7	8092.1	8039.2	7981.9	7939.8	7928.1	7873.3
40.2	8276.8	8197.7	8171.8	8118.4	8060.5	8018.1	8006.2	7950.9
40.4	8357.9	8278.0	8251.9	8198.0	8139.5	8096.7	8084.7	8028.9
40.6	8439.4	8358.7	8332.4	8277.9	8218.9	8175.6	8163.6	8107.2
40.8	8521.2	8439.8	8413.2	8358.2	8298.6	8255.0	8242.8	8185.9
41.0	8603.5	8521.3	8494.4	8438.9	8378.7	8334.6	8322.3	8264.9
41.2	8686.1	8603.1	8575.9	8519.9	8459.2	8414.7	8402.3	8344.3
41.4	8769.0	8685.3	8657.9	8601.3	8540.0	8495.1	8482.6	8424.0
41.6	8852.4	8767.8	8740.2	8683.1	8621.2	8575.9	8563.2	8504.1
41.8	8936.1	8850.7	8822.8	8765.2	8702.8	8657.0	8644.2	8584.5

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
42.0	9020.1	8934.0	8905.8	8847.7	8784.7	8738.5	8725.6	8665.3
42.2	9104.6	9017.7	8989.2	8930.5	8866.9	8820.3	8807.3	8746.5
42.4	9189.4	9101.7	9073.0	9013.8	8949.6	8902.5	8889.4	8828.0
42.6	9274.6	9186.0	9157.1	9097.3	9032.5	8985.0	8971.8	8909.9
42.8	9360.1	9270.8	9241.6	9181.3	9115.9	9068.0	9054.6	8992.1
43.0	9446.0	9355.9	9326.4	9265.6	9199.6	9151.2	9137.7	9074.7
43.2	9532.3	9441.4	9411.6	9350.2	9283.6	9234.8	9221.2	9157.6
43.4	9619.0	9527.2	9497.2	9435.2	9368.1	9318.8	9305.1	9240.9
43.6	9706.0	9613.4	9583.1	9520.6	9452.8	9403.2	9389.3	9324.6
43.8	9793.3	9699.9	9669.4	9606.3	9538.0	9487.8	9473.9	9408.5
44.0	9881.1	9786.9	9756.0	9692.4	9623.4	9572.9	9558.8	9492.9
44.2	9969.2	9874.1	9843.0	9778.9	9709.3	9658.3	9644.1	9577.6
44.4	10 057.7	9961.8	9930.4	9865.7	9795.5	9744.0	9729.7	9662.6
44.6	10 146.5	10 049.8	10 018.1	9952.8	9882.0	9830.1	9815.7	9748.0
44.8	10 235.7	10 138.1	10 106.2	10 040.3	9968.9	9916.6	9902.0	9833.7
45.0	10 325.2	10 226.8	10 194.6	10 128.2	10 056.2	10 003.4	9988.7	9919.8
45.2	10 415.2	10 315.9	10 283.4	10 216.4	10 143.8	10 090.5	10 075.7	10 006.3
45.4	10 505.4	10 405.3	10 372.6	10 305.0	10 231.8	10 178.0	10 163.1	10 093.1
45.6	10 596.1	10 495.1	10 462.1	10 393.9	10 320.1	10 265.9	10 250.8	10 180.2
45.8	10 687.1	10 585.3	10 552.0	10 483.2	10 408.7	10 354.1	10 338.9	10 267.7
46.0	10 778.4	10 675.8	10 642.2	10 572.9	10 497.7	10 442.7	10 427.3	10 355.5
46.2	10 870.1	10 766.6	10 732.8	10 662.9	10 587.1	10 531.6	10 516.1	10 443.7
46.4	10 962.2	10 857.8	10 823.7	10 753.2	10 676.8	10 620.8	10 605.2	10 532.2
46.6	11 054.7	10 949.4	10 915.0	10 843.9	10 766.9	10 710.4	10 694.7	10 621.0
46.8	11 147.4	11 041.3	11 006.6	10 935.0	10 857.3	10 800.3	10 784.5	10 710.2
47.0	11 240.6	11 133.6	11 098.6	11 026.4	10 948.0	10 890.6	10 874.6	10 799.8
47.2	11 334.1	11 226.2	11 190.9	11 118.1	11 039.2	10 981.3	10 965.1	10 889.7
47.4	11 427.9	11 319.2	11 283.6	11 210.2	11 130.6	11 072.3	11 056.0	10 979.9
47.6	11 522.2	11 412.5	11 376.7	11 302.6	11 222.4	11 163.6	11 147.2	11 070.5
47.8	11 616.7	11 506.2	11 470.0	11 395.4	11 314.5	11 255.2	11 238.7	11 161.4
48.0	11 711.6	11 600.2	11 563.8	11 488.6	11 407.0	11 347.3	11 330.6	11 252.7
48.2	11 806.9	11 694.6	11 657.9	11 582.1	11 499.9	11 439.6	11 422.8	11 344.3
48.4	11 902.5	11 789.3	11 752.3	11 675.9	11 593.0	11 532.3	11 515.4	11 436.2
48.6	11 998.5	11 884.4	11 847.1	11 770.1	11 686.6	11 625.4	11 608.3	11 528.5
48.8	12 094.8	11 979.8	11 942.2	11 864.6	11 780.4	11 718.7	11 701.5	11 621.1
49.0	12 191.5	12 075.6	12 037.7	11 959.5	11 874.6	11 812.5	11 795.1	11 714.0
49.2	12 288.5	12 171.7	12 133.5	12 054.7	11 969.2	11 906.5	11 889.0	11 807.3
49.4	12 385.9	12 268.2	12 229.7	12 150.2	12 064.1	12 000.9	11 983.3	11 901.0
49.6	12 483.6	12 365.0	12 326.2	12 246.1	12 159.3	12 095.7	12 077.9	11 994.9
49.8	12 581.7	12 462.2	12 423.1	12 342.4	12 254.9	12 190.7	12 172.8	12 089.2
50.0	12 680.1	12 559.7	12 520.3	12 439.0	12 350.8	12 286.2	12 268.1	12 183.9
50.2	12 778.9	12 657.5	12 617.8	12 535.9	12 447.0	12 381.9	12 363.7	12 278.8
50.4	12 878.0	12 755.7	12 715.7	12 633.1	12 543.6	12 478.0	12 459.7	12 374.1
50.6	12 977.5	12 854.3	12 813.9	12 730.7	12 640.6	12 574.4	12 556.0	12 469.8

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
50.8	13 077.3	12 953.1	12 912.5	12 828.7	12 737.8	12 671.2	12 652.6	12 565.7
51.0	13 177.4	13 052.3	13 011.4	12 927.0	12 835.4	12 768.3	12 749.6	12 662.1
51.2	13 277.9	13 151.9	13 110.7	13 025.6	12 933.4	12 865.7	12 846.9	12 758.7
51.4	13 378.8	13 251.8	13 210.3	13 124.6	13 031.6	12 963.5	12 944.5	12 855.7
51.6	13 479.9	13 352.0	13 310.2	13 223.8	13 130.2	13 061.6	13 042.4	12 953.0
51.8	13 581.5	13 452.6	13 410.5	13 323.5	13 229.2	13 160.0	13 140.7	13 050.6
52.0	13 683.3	13 553.5	13 511.1	13 423.4	13 328.4	13 258.8	13 239.3	13 148.5
52.2	13 785.5	13 654.8	13 612.0	13 523.7	13 428.0	13 357.9	13 338.3	13 246.8
52.4	13 888.1	13 756.4	13 713.3	13 624.4	13 528.0	13 457.3	13 437.6	13 345.4
52.6	13 991.0	13 858.3	13 814.9	13 725.3	13 628.2	13 557.1	13 537.2	13 444.4
52.8	14 094.2	13 960.6	13 916.9	13 826.7	13 728.8	13 657.1	13 637.1	13 543.7
53.0	14 197.7	14 063.2	14 019.1	13 928.3	13 829.8	13 757.6	13 737.4	13 643.2
53.2	14 301.6	14 166.1	14 121.8	14 030.3	13 931.0	13 858.3	13 838.0	13 743.2
53.4	14 405.9	14 269.4	14 224.7	14 132.5	14 032.6	13 959.4	13 938.9	13 843.4
53.6	14 510.4	14 373.0	14 328.0	14 235.2	14 134.5	14 060.8	14 040.2	13 944.0
53.8	14 615.4	14 476.9	14 431.6	14 338.1	14 236.8	14 162.5	14 141.8	14 044.9
54.0	14 720.6	14 581.2	14 535.6	14 441.4	14 339.4	14 264.5	14 243.7	14 146.1
54.2	14 826.2	14 685.8	14 639.8	14 545.0	14 442.3	14 366.9	14 345.9	14 247.6
54.4	14 932.1	14 790.7	14 744.4	14 649.0	14 545.5	14 469.6	14 448.4	14 349.5
54.6	15 038.3	14 896.0	14 849.4	14 753.3	14 649.0	14 572.6	14 551.3	14 451.7
54.8	15 144.9	15 001.5	14 954.6	14 857.8	14 752.9	14 676.0	14 654.5	14 554.2
55.0	15 251.8	15 107.5	15 060.2	14 962.8	14 857.1	14 779.6	14 758.0	14 657.0
55.2	15 359.0	15 213.7	15 166.1	15 068.0	14 961.6	14 883.6	14 861.9	14 760.2
55.4	15 466.6	15 320.3	15 272.4	15 173.6	15 066.5	14 987.9	14 966.0	14 863.6
55.6	15 574.5	15 427.2	15 379.0	15 279.5	15 171.6	15 092.6	15 070.5	14 967.4
55.8	15 682.7	15 534.4	15 485.9	15 385.7	15 277.1	15 197.5	15 175.3	15 071.5
56.0	15 791.3	15 641.9	15 593.1	15 492.2	15 382.9	15 302.8	15 280.4	15 175.9
56.2	15 900.1	15 749.8	15 700.6	15 599.1	15 489.1	15 408.4	15 385.8	15 280.6
56.4	16 009.3	15 858.0	15 808.5	15 706.3	15 595.5	15 514.3	15 491.6	15 385.7
56.6	16 118.9	15 966.5	15 916.7	15 813.8	15 702.3	15 620.5	15 597.7	15 491.0
56.8	16 228.7	16 075.4	16 025.2	15 921.6	15 809.3	15 727.0	15 704.1	15 596.7
57.0	16 338.9	16 184.5	16 134.0	16 029.8	15 916.7	15 833.9	15 810.8	15 702.7
57.2	16 449.4	16 294.0	16 243.2	16 138.2	16 024.5	15 941.0	15 917.8	15 809.0
57.4	16 560.2	16 403.8	16 352.6	16 247.0	16 132.5	16 048.5	16 025.1	15 915.6
57.6	16 671.4	16 513.9	16 462.4	16 356.1	16 240.8	16 156.3	16 132.7	16 022.5
57.8	16 782.8	16 624.4	16 572.5	16 465.5	16 349.5	16 264.4	16 240.7	16 129.8
58.0	16 894.6	16 735.1	16 682.9	16 575.2	16 458.5	16 372.8	16 349.0	16 237.3
58.2	17 006.7	16 846.2	16 793.7	16 685.3	16 567.8	16 481.6	16 457.5	16 345.2
58.4	17 119.2	16 957.6	16 904.7	16 795.6	16 677.3	16 590.6	16 566.4	16 453.3
58.6	17 231.9	17 069.3	17 016.1	16 906.3	16 787.3	16 700.0	16 675.6	16 561.8
58.8	17 345.0	17 181.3	17 127.8	17 017.3	16 897.5	16 809.6	16 785.1	16 670.6
59.0	17 458.4	17 293.7	17 239.8	17 128.6	17 008.0	16 919.6	16 894.9	16 779.6
59.2	17 572.0	17 406.3	17 352.1	17 240.2	17 118.8	17 029.9	17 005.0	16 889.0
59.4	17 686.1	17 519.3	17 464.7	17 352.1	17 230.0	17 140.4	17 115.5	16 998.7

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
59.6	17 800.4	17 632.5	17 577.6	17 464.3	17 341.4	17 251.3	17 226.2	17 108.7
59.8	17 915.0	17 746.1	17 690.9	17 576.8	17 453.2	17 362.5	17 337.2	17 219.0
60.0	18 030.0	17 860.0	17 804.4	17 689.7	17 565.3	17 474.0	17 448.6	17 329.6
60.2	18 145.2	17 974.2	17 918.3	17 802.8	17 677.6	17 585.8	17 560.2	17 440.5
60.4	18 260.8	18 088.7	18 032.5	17 916.3	17 790.3	17 697.9	17 672.2	17 551.7
60.6	18 376.7	18 203.6	18 146.9	18 030.0	17 903.3	17 810.3	17 784.4	17 663.2
60.8	18 492.9	18 318.7	18 261.7	18 144.1	18 016.6	17 923.0	17 897.0	17 775.0
61.0	18 609.4	18 434.1	18 376.8	18 258.5	18 130.1	18 036.1	18 009.8	17 887.1
61.2	18 726.2	18 549.9	18 492.2	18 373.1	18 244.0	18 149.4	18 123.0	17 999.5
61.4	18 843.3	18 665.9	18 607.9	18 488.1	18 358.2	18 263.0	18 236.4	18 112.2
61.6	18 960.7	18 782.3	18 723.9	18 603.4	18 472.7	18 376.9	18 350.2	18 225.2
61.8	19 078.5	18 898.9	18 840.2	18 718.9	18 587.5	18 491.1	18 464.2	18 338.5
62.0	19 196.5	19 015.9	18 956.8	18 834.8	18 702.6	18 605.6	18 578.5	18 452.1
62.2	19 314.8	19 133.1	19 073.7	18 951.0	18 817.9	18 720.4	18 693.2	18 565.9
62.4	19 433.5	19 250.7	19 190.9	19 067.5	18 933.6	18 835.5	18 808.1	18 680.1
62.6	19 552.4	19 368.5	19 308.4	19 184.2	19 049.6	18 950.9	18 923.3	18 794.6
62.8	19 671.7	19 486.7	19 426.2	19 301.3	19 165.9	19 066.5	19 038.8	18 909.3
63.0	19 791.2	19 605.2	19 544.3	19 418.6	19 282.4	19 182.5	19 154.7	19 024.4
63.2	19 911.0	19 723.9	19 662.7	19 536.3	19 399.3	19 298.8	19 270.8	19 139.7
63.4	20 031.2	19 842.9	19 781.4	19 654.2	19 516.4	19 415.3	19 387.1	19 255.3
63.6	20 151.6	19 962.3	19 900.3	19 772.5	19 633.9	19 532.2	19 503.8	19 371.2
63.8	20 272.4	20 081.9	20 019.6	19 891.0	19 751.6	19 649.3	19 620.8	19 487.4
64.0	20 393.4	20 201.9	20 139.2	20 009.8	19 869.6	19 766.8	19 738.1	19 603.9
64.2	20 514.7	20 322.1	20 259.1	20 129.0	19 987.9	19 884.5	19 855.6	19 720.7
64.4	20 636.3	20 442.6	20 379.2	20 248.4	20 106.5	20 002.5	19 973.4	19 837.8
64.6	20 758.3	20 563.4	20 499.6	20 368.1	20 225.4	20 120.7	20 091.6	19 955.1
64.8	20 880.5	20 684.5	20 620.4	20 488.0	20 344.5	20 239.3	20 210.0	20 072.7
65.0	21 003.0	20 805.9	20 741.4	20 608.3	20 464.0	20 358.2	20 328.6	20 190.6
65.2	21 125.8	20 927.6	20 862.7	20 728.9	20 583.7	20 477.3	20 447.6	20 308.8
65.4	21 248.8	21 049.5	20 984.3	20 849.7	20 703.8	20 596.7	20 566.9	20 427.3
65.6	21 372.2	21 171.8	21 106.2	20 970.8	20 824.1	20 716.4	20 686.4	20 546.0
65.8	21 495.9	21 294.3	21 228.4	21 092.3	20 944.7	20 836.4	20 806.2	20 665.1
66.0	21 619.8	21 417.1	21 350.8	21 213.9	21 065.5	20 956.7	20 926.3	20 784.4
66.2	21 744.0	21 540.2	21 473.6	21 335.9	21 186.7	21 077.2	21 046.7	20 904.0
66.4	21 868.6	21 663.6	21 596.6	21 458.2	21 308.1	21 198.1	21 167.3	21 023.8
66.6	21 993.4	21 787.3	21 719.9	21 580.7	21 429.8	21 319.2	21 288.3	21 143.9
66.8	22 118.4	21 911.2	21 843.5	21 703.5	21 551.8	21 440.5	21 409.5	21 264.4
67.0	22 243.8	22 035.5	21 967.3	21 826.6	21 674.1	21 562.2	21 531.0	21 385.0
67.2	22 369.5	22 160.0	22 091.5	21 950.0	21 796.6	21 684.1	21 652.7	21 506.0
67.4	22 495.4	22 284.8	22 215.9	22 073.6	21 919.4	21 806.3	21 774.8	21 627.2
67.6	22 621.6	22 409.8	22 340.6	22 197.6	22 042.5	21 928.8	21 897.1	21 748.7
67.8	22 748.1	22 535.2	22 465.5	22 321.8	22 165.9	22 051.5	22 019.6	21 870.5
68.0	22 874.8	22 660.8	22 590.8	22 446.2	22 289.5	22 174.5	22 142.5	21 992.5
68.2	23 001.9	22 786.7	22 716.3	22 571.0	22 413.4	22 297.8	22 265.6	22 114.8

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
68.4	23 129.2	22 912.9	22 842.1	22 696.0	22 537.6	22 421.4	22 389.0	22 237.4
68.6	23 256.8	23 039.3	22 968.2	22 821.3	22 662.0	22 545.2	22 512.6	22 360.3
68.8	23 384.7	23 166.0	23 094.5	22 946.8	22 786.7	22 669.3	22 636.5	22 483.4
69.0	23 512.8	23 293.0	23 221.1	23 072.7	22 911.7	22 793.7	22 760.7	22 606.7
69.2	23 641.2	23 420.3	23 348.0	23 198.8	23 036.9	22 918.3	22 885.2	22 730.4
69.4	23 769.9	23 547.8	23 475.1	23 325.1	23 162.5	23 043.2	23 009.9	22 854.3
69.6	23 898.8	23 675.6	23 602.5	23 451.7	23 288.2	23 168.3	23 134.9	22 978.4
69.8	24 028.1	23 803.6	23 730.2	23 578.6	23 414.3	23 293.7	23 260.1	23 102.9
70.0	24 157.5	23 932.0	23 858.1	23 705.8	23 540.6	23 419.4	23 385.6	23 227.5
70.2	24 287.3	24 060.5	23 986.4	23 833.2	23 667.1	23 545.3	23 511.4	23 352.5
70.4	24 417.3	24 189.4	24 114.8	23 960.9	23 794.0	23 671.5	23 637.4	23 477.7
70.6	24 547.6	24 318.5	24 243.6	24 088.8	23 921.1	23 798.0	23 763.7	23 603.1
70.8	24 678.2	24 447.9	24 372.5	24 217.0	24 048.4	23 924.7	23 890.2	23 728.9
71.0	24 809.0	24 577.5	24 501.8	24 345.5	24 176.0	24 051.7	24 017.0	23 854.8
71.2	24 940.0	24 707.4	24 631.3	24 474.2	24 303.9	24 178.9	24 144.0	23 981.0
71.4	25 071.4	24 837.6	24 761.1	24 603.2	24 432.0	24 306.4	24 271.3	24 107.5
71.6	25 203.0	24 968.0	24 891.1	24 732.4	24 560.3	24 434.1	24 398.9	24 234.3
71.8	25 334.8	25 098.7	25 021.4	24 861.9	24 689.0	24 562.1	24 526.7	24 361.2
72.0	25 466.9	25 229.6	25 151.9	24 991.7	24 817.8	24 690.3	24 654.8	24 488.5
72.2	25 599.3	25 360.8	25 282.7	25 121.7	24 947.0	24 818.8	24 783.1	24 615.9
72.4	25 731.9	25 492.2	25 413.8	25 251.9	25 076.3	24 947.6	24 911.6	24 743.7
72.6	25 864.8	25 623.9	25 545.1	25 382.4	25 206.0	25 076.6	25 040.5	24 871.6
72.8	25 997.9	25 755.9	25 676.6	25 513.1	25 335.8	25 205.8	25 169.5	24 999.9
73.0	26 131.3	25 888.0	25 808.4	25 644.1	25 466.0	25 335.3	25 298.8	25 128.3
73.2	26 264.9	26 020.5	25 940.5	25 775.4	25 596.3	25 465.0	25 428.4	25 257.0
73.4	26 398.8	26 153.2	26 072.8	25 906.9	25 726.9	25 595.0	25 558.2	25 386.0
73.6	26 533.0	26 286.1	26 205.3	26 038.6	25 857.8	25 725.2	25 688.2	25 515.2
73.8	26 667.3	26 419.3	26 338.1	26 170.6	25 988.9	25 855.6	25 818.5	25 644.6
74.0	26 802.0	26 552.7	26 471.2	26 302.8	26 120.3	25 986.3	25 949.0	25 774.3
74.2	26 936.8	26 686.4	26 604.4	26 435.3	26 251.8	26 117.3	26 079.7	25 904.2
74.4	27 072.0	26 820.3	26 738.0	26 568.0	26 383.7	26 248.5	26 210.7	26 034.4
74.6	27 207.3	26 954.5	26 871.7	26 700.9	26 515.7	26 379.9	26 342.0	26 164.7
74.8	27 342.9	27 088.9	27 005.7	26 834.1	26 648.0	26 511.5	26 473.5	26 295.4
75.0	27 478.8	27 223.5	27 140.0	26 967.6	26 780.6	26 643.4	26 605.2	26 426.2
75.2	27 614.9	27 358.4	27 274.5	27 101.2	26 913.4	26 775.6	26 737.1	26 557.3
75.4	27 751.2	27 493.5	27 409.2	27 235.1	27 046.4	26 907.9	26 869.3	26 688.6
75.6	27 887.7	27 628.8	27 544.1	27 369.3	27 179.6	27 040.5	27 001.7	26 820.2
75.8	28 024.5	27 764.4	27 679.3	27 503.6	27 313.1	27 173.3	27 134.3	26 952.0
76.0	28 161.6	27 900.2	27 814.7	27 638.2	27 446.8	27 306.4	27 267.2	27 084.0
76.2	28 298.8	28 036.3	27 950.4	27 773.1	27 580.7	27 439.7	27 400.3	27 216.3
76.4	28 436.3	28 172.6	28 086.3	27 908.1	27 714.9	27 573.2	27 533.6	27 348.7
76.6	28 574.1	28 309.1	28 222.4	28 043.4	27 849.3	27 706.9	27 667.2	27 481.4
76.8	28 712.0	28 445.8	28 358.7	28 178.9	27 983.9	27 840.9	27 801.0	27 614.3
77.0	28 850.2	28 582.8	28 495.3	28 314.7	28 118.8	27 975.1	27 935.0	27 747.5

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
77.2	28 988.7	28 720.0	28 632.1	28 450.6	28 253.8	28 109.5	28 069.2	27 880.9
77.4	29 127.3	28 857.4	28 769.1	28 586.8	28 389.1	28 244.1	28 203.7	28 014.5
77.6	29 266.2	28 995.1	28 906.4	28 723.3	28 524.7	28 379.0	28 338.3	28 148.3
77.8	29 405.3	29 133.0	29 043.8	28 859.9	28 660.4	28 514.1	28 473.2	28 282.3
78.0	29 544.6	29 271.1	29 181.5	28 996.8	28 796.4	28 649.4	28 608.3	28 416.5
78.2	29 684.2	29 409.4	29 319.5	29 133.8	28 932.5	28 784.9	28 743.7	28 551.0
78.4	29 823.9	29 547.9	29 457.6	29 271.1	29 068.9	28 920.6	28 879.2	28 685.7
78.6	29 963.9	29 686.7	29 595.9	29 408.7	29 205.6	29 056.6	29 015.0	28 820.6
78.8	30 104.1	29 825.6	29 734.5	29 546.4	29 342.4	29 192.7	29 151.0	28 955.7
79.0	30 244.5	29 964.8	29 873.3	29 684.3	29 479.4	29 329.1	29 287.2	29 091.0
79.2	30 385.2	30 104.2	30 012.3	29 822.5	29 616.7	29 465.7	29 423.6	29 226.6
79.4	30 526.0	30 243.8	30 151.5	29 960.9	29 754.2	29 602.5	29 560.2	29 362.3
79.6	30 667.1	30 383.7	30 290.9	30 099.5	29 891.8	29 739.5	29 697.0	29 498.2
79.8	30 808.4	30 523.7	30 430.6	30 238.3	30 029.7	29 876.7	29 834.0	29 634.4
80.0	30 949.9	30 664.0	30 570.4	30 377.3	30 167.8	30 014.2	29 971.3	29 770.8
80.2	31 091.6	30 804.4	30 710.5	30 516.5	30 306.1	30 151.8	30 108.7	29 907.3
80.4	31 233.5	30 945.1	30 850.7	30 655.9	30 444.6	30 289.6	30 246.4	30 044.1
80.6	31 375.6	31 086.0	30 991.2	30 795.5	30 583.3	30 427.7	30 384.2	30 181.1
80.8	31 518.0	31 227.1	31 131.9	30 935.4	30 722.3	30 565.9	30 522.3	30 318.3
81.0	31 660.5	31 368.3	31 272.7	31 075.4	30 861.4	30 704.4	30 660.5	30 455.6
81.2	31 803.2	31 509.8	31 413.8	31 215.6	31 000.7	30 843.0	30 799.0	30 593.2
81.4	31 946.2	31 651.5	31 555.1	31 356.1	31 140.2	30 981.8	30 937.7	30 731.0
81.6	32 089.3	31 793.4	31 696.6	31 496.7	31 279.9	31 120.9	31 076.5	30 869.0
81.8	32 232.6	31 935.5	31 838.3	31 637.5	31 419.8	31 260.1	31 215.6	31 007.1
82.0	32 376.2	32 077.8	31 980.1	31 778.6	31 559.9	31 399.6	31 354.8	31 145.5
82.2	32 519.9	32 220.3	32 122.2	31 919.8	31 700.2	31 539.2	31 494.2	31 284.1
82.4	32 663.9	32 362.9	32 264.5	32 061.2	31 840.7	31 679.0	31 633.9	31 422.8
82.6	32 808.0	32 505.8	32 406.9	32 202.8	31 981.4	31 819.0	31 773.7	31 561.7
82.8	32 952.3	32 648.9	32 549.6	32 344.6	32 122.3	31 959.2	31 913.7	31 700.9
83.0	33 096.8	32 792.1	32 692.4	32 486.6	32 263.4	32 099.6	32 053.9	31 840.2
83.2	33 241.5	32 935.6	32 835.5	32 628.8	32 404.6	32 240.2	32 194.3	31 979.7
83.4	33 386.4	33 079.2	32 978.7	32 771.2	32 546.1	32 380.9	32 334.9	32 119.4
83.6	33 531.5	33 223.0	33 122.1	32 913.7	32 687.7	32 521.9	32 475.6	32 259.2
83.8	33 676.7	33 367.0	33 265.7	33 056.5	32 829.5	32 663.0	32 616.6	32 399.3
84.0	33 822.2	33 511.2	33 409.4	33 199.4	32 971.5	32 804.3	32 757.7	32 539.5
84.2	33 967.8	33 655.6	33 553.4	33 342.5	33 113.7	32 945.8	32 899.0	32 679.9
84.4	34 113.7	33 800.1	33 697.5	33 485.8	33 256.0	33 087.5	33 040.5	32 820.5
84.6	34 259.6	33 944.9	33 841.9	33 629.2	33 398.6	33 229.4	33 182.1	32 961.3
84.8	34 405.8	34 089.8	33 986.4	33 772.9	33 541.3	33 371.4	33 324.0	33 102.2
85.0	34 552.2	34 234.9	34 131.0	33 916.7	33 684.2	33 513.6	33 466.0	33 243.4
85.2	34 698.7	34 380.1	34 275.9	34 060.7	33 827.2	33 656.0	33 608.2	33 384.6
85.4	34 845.4	34 525.6	34 420.9	34 204.8	33 970.5	33 798.5	33 750.5	33 526.1
85.6	34 992.3	34 671.2	34 566.1	34 349.2	34 113.9	33 941.2	33 893.1	33 667.7
85.8	35 139.4	34 817.0	34 711.5	34 493.7	34 257.5	34 084.1	34 035.8	33 809.6

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
86.0	35 286.6	34 962.9	34 857.0	34 638.4	34 401.2	34 227.2	34 178.6	33 951.5
86.2	35 434.0	35 109.1	35 002.7	34 783.2	34 545.1	34 370.4	34 321.7	34 093.7
86.4	35 581.5	35 255.3	35 148.6	34 928.2	34 689.2	34 513.8	34 464.9	34 236.0
86.6	35 729.3	35 401.8	35 294.6	35 073.4	34 833.4	34 657.4	34 608.2	34 378.4
86.8	35 877.2	35 548.4	35 440.8	35 218.8	34 977.8	34 801.1	34 751.8	34 521.1
87.0	36 025.2	35 695.2	35 587.2	35 364.3	35 122.4	34 945.0	34 895.5	34 663.9
87.2	36 173.5	35 842.2	35 733.7	35 509.9	35 267.2	35 089.0	35 039.3	34 806.8
87.4	36 321.8	35 989.3	35 880.4	35 655.8	35 412.0	35 233.2	35 183.3	34 949.9
87.6	36 470.4	36 136.5	36 027.3	35 801.7	35 557.1	35 377.6	35 327.5	35 093.2
87.8	36 619.1	36 284.0	36 174.3	35 947.9	35 702.3	35 522.1	35 471.8	35 236.6
88.0	36 767.9	36 431.5	36 321.5	36 094.2	35 847.7	35 666.8	35 616.3	35 380.2
88.2	36 917.0	36 579.3	36 468.8	36 240.6	35 993.2	35 811.6	35 760.9	35 523.9
88.4	37 066.1	36 727.2	36 616.2	36 387.2	36 138.8	35 956.6	35 905.7	35 667.8
88.6	37 215.4	36 875.2	36 763.9	36 534.0	36 284.7	36 101.7	36 050.7	35 811.8
88.8	37 364.9	37 023.4	36 911.6	36 680.9	36 430.6	36 247.0	36 195.7	35 956.0
89.0	37 514.5	37 171.7	37 059.6	36 828.0	36 576.7	36 392.4	36 341.0	36 100.3
89.2	37 664.3	37 320.2	37 207.6	36 975.2	36 723.0	36 538.0	36 486.3	36 244.8
89.4	37 814.2	37 468.9	37 355.8	37 122.5	36 869.4	36 683.7	36 631.9	36 389.4
89.6	37 964.3	37 617.6	37 504.2	37 270.0	37 016.0	36 829.5	36 777.5	36 534.2
89.8	38 114.5	37 766.5	37 652.7	37 417.6	37 162.6	36 975.5	36 923.3	36 679.1
90.0	38 264.8	37 915.6	37 801.3	37 565.4	37 309.5	37 121.7	37 069.3	36 824.1
90.2	38 415.3	38 064.8	37 950.1	37 713.3	37 456.4	37 268.0	37 215.4	36 969.3
90.4	38 565.9	38 214.1	38 099.0	37 861.4	37 603.5	37 414.4	37 361.6	37 114.6
90.6	38 716.7	38 363.6	38 248.1	38 009.5	37 750.8	37 560.9	37 507.9	37 260.1
90.8	38 867.6	38 513.2	38 397.3	38 157.9	37 898.2	37 707.6	37 654.4	37 405.7
91.0	39 018.6	38 663.0	38 546.6	38 306.3	38 045.7	37 854.4	37 801.0	37 551.4
91.2	39 169.8	38 812.8	38 696.0	38 454.9	38 193.3	38 001.4	37 947.8	37 697.2
91.4	39 321.0	38 962.8	38 845.6	38 603.6	38 341.1	38 148.5	38 094.7	37 843.2
91.6	39 472.5	39 113.0	38 995.3	38 752.5	38 489.0	38 295.7	38 241.7	37 989.3
91.8	39 624.0	39 263.2	39 145.2	38 901.4	38 637.0	38 443.0	38 388.8	38 135.5
92.0	39 775.7	39 413.6	39 295.1	39 050.5	38 785.2	38 590.4	38 536.1	38 281.9
92.2	39 927.5	39 564.1	39 445.2	39 199.7	38 933.4	38 738.0	38 683.5	38 428.3
92.4	40 079.4	39 714.8	39 595.4	39 349.1	39 081.8	38 885.7	38 831.0	38 574.9
92.6	40 231.4	39 865.5	39 745.8	39 498.5	39 230.3	39 033.5	38 978.6	38 721.7
92.8	40 383.6	40 016.4	39 896.2	39 648.1	39 379.0	39 181.5	39 126.4	38 868.5
93.0	40 535.9	40 167.4	40 046.8	39 797.8	39 527.7	39 329.5	39 274.2	39 015.5
93.2	40 688.3	40 318.5	40 197.5	39 947.6	39 676.6	39 477.7	39 422.2	39 162.5
93.4	40 840.8	40 469.7	40 348.3	40 097.6	39 825.6	39 626.0	39 570.3	39 309.7
93.6	40 993.4	40 621.0	40 499.2	40 247.6	39 974.7	39 774.4	39 718.5	39 457.0
93.8	41 146.1	40 772.5	40 650.2	40 397.8	40 123.9	39 922.9	39 866.8	39 604.4
94.0	41 299.0	40 924.0	40 801.3	40 548.0	40 273.2	40 071.5	40 015.2	39 751.9
94.2	41 451.9	41 075.7	40 952.6	40 698.4	40 422.6	40 220.3	40 163.8	39 899.5
94.4	41 605.0	41 227.5	41 103.9	40 848.9	40 572.1	40 369.1	40 312.4	40 047.3
94.6	41 758.1	41 379.3	41 255.4	40 999.4	40 721.8	40 518.0	40 461.1	40 195.1

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
94.8	41 911.4	41 531.3	41 406.9	41 150.1	40 871.5	40 667.1	40 610.0	40 343.0
95.0	42 064.7	41 683.4	41 558.6	41 300.9	41 021.3	40 816.2	40 758.9	40 491.1
95.2	42 218.2	41 835.5	41 710.3	41 451.8	41 171.3	40 965.4	40 908.0	40 639.2
95.4	42 371.8	41 987.8	41 862.2	41 602.8	41 321.3	41 114.8	41 057.1	40 787.4
95.6	42 525.4	42 140.2	42 014.1	41 753.8	41 471.4	41 264.2	41 206.4	40 935.8
95.8	42 679.2	42 292.6	42 166.2	41 905.0	41 621.7	41 413.7	41 355.7	41 084.2
96.0	42 833.0	42 445.2	42 318.3	42 056.3	41 772.0	41 563.4	41 505.1	41 232.7
96.2	42 986.9	42 597.8	42 470.5	42 207.6	41 922.4	41 713.1	41 654.6	41 381.3
96.4	43 141.0	42 750.6	42 622.8	42 359.1	42 072.9	41 862.9	41 804.2	41 530.0
96.6	43 295.1	42 903.4	42 775.2	42 510.6	42 223.5	42 012.8	41 953.9	41 678.8
96.8	43 449.3	43 056.3	42 927.7	42 662.2	42 374.1	42 162.7	42 103.7	41 827.6
97.0	43 603.5	43 209.3	43 080.3	42 813.9	42 524.9	42 312.8	42 253.6	41 976.6
97.2	43 757.9	43 362.4	43 232.9	42 965.7	42 675.7	42 462.9	42 403.5	42 125.6
97.4	43 912.3	43 515.5	43 385.7	43 117.5	42 826.6	42 613.1	42 553.6	42 274.8
97.6	44 066.9	43 668.8	43 538.5	43 269.5	42 977.6	42 763.5	42 703.7	42 424.0
97.8	44 221.5	43 822.1	43 691.4	43 421.5	43 128.7	42 913.8	42 853.8	42 573.2
98.0	44 376.1	43 975.5	43 844.3	43 573.6	43 279.9	43 064.3	43 004.1	42 722.6
98.2	44 530.9	44 128.9	43 997.4	43 725.8	43 431.1	43 214.8	43 154.4	42 872.0
98.4	44 685.7	44 282.5	44 150.5	43 878.0	43 582.4	43 365.4	43 304.8	43 021.5
98.6	44 840.6	44 436.1	44 303.7	44 030.3	43 733.7	43 516.1	43 455.3	43 171.1
98.8	44 995.5	44 589.7	44 456.9	44 182.7	43 885.2	43 666.8	43 605.9	43 320.7
99.0	45 150.6	44 743.5	44 610.2	44 335.1	44 036.7	43 817.6	43 756.5	43 470.4
99.2	45 305.6	44 897.3	44 763.6	44 487.6	44 188.2	43 968.5	43 907.2	43 620.2
99.4	45 460.8	45 051.1	44 917.0	44 640.2	44 339.9	44 119.4	44 057.9	43 770.0
99.6	45 616.0	45 205.0	45 070.5	44 792.9	44 491.6	44 270.4	44 208.7	43 919.9
99.8	45 771.3	45 359.0	45 224.1	44 945.5	44 643.3	44 421.5	44 359.6	44 069.9
100.0	45 926.6	45 513.1	45 377.7	45 098.3	44 795.1	44 572.6	44 510.5	44 219.9
100.2	46 082.0	45 667.2	45 531.4	45 251.1	44 947.0	44 723.8	44 661.5	44 369.9
100.4	46 237.4	45 821.3	45 685.1	45 404.0	45 098.9	44 875.0	44 812.5	44 520.1
100.6	46 392.9	45 975.5	45 838.9	45 556.9	45 250.9	45 026.3	44 963.6	44 670.2
100.8	46 548.4	46 129.8	45 992.7	45 709.8	45 402.9	45 177.6	45 114.7	44 820.5
101.0	46 704.0	46 284.1	46 146.6	45 862.9	45 555.0	45 329.0	45 265.9	44 970.7
101.2	46 859.6	46 438.4	46 300.5	46 015.9	45 707.1	45 480.4	45 417.1	45 121.1
101.4	47 015.3	46 592.8	46 454.5	46 169.0	45 859.2	45 631.9	45 568.4	45 271.4
101.6	47 171.0	46 747.2	46 608.5	46 322.2	46 011.4	45 783.4	45 719.7	45 421.9
101.8	47 326.7	46 901.7	46 762.6	46 475.3	46 163.7	45 935.0	45 871.1	45 572.3
102.0	47 482.5	47 056.2	46 916.7	46 628.6	46 316.0	46 086.6	46 022.5	45 722.8
102.2	47 638.3	47 210.7	47 070.8	46 781.8	46 468.3	46 238.2	46 173.9	45 873.3
102.4	47 794.2	47 365.3	47 225.0	46 935.1	46 620.7	46 389.9	46 325.4	46 023.9
102.6	47 950.1	47 519.9	47 379.2	47 088.5	46 773.1	46 541.6	46 476.9	46 174.5
102.8	48 106.0	47 674.6	47 533.4	47 241.8	46 925.5	46 693.3	46 628.5	46 325.2
103.0	48 261.9	47 829.3	47 687.6	47 395.2	47 077.9	46 845.1	46 780.1	46 475.8
103.2	48 417.9	47 984.0	47 841.9	47 548.7	47 230.4	46 996.9	46 931.7	46 626.5
103.4	48 573.9	48 138.7	47 996.2	47 702.1	47 382.9	47 148.7	47 083.3	46 777.3

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
103.6	48 729.9	48 293.4	48 150.6	47 855.6	47 535.5	47 300.5	47 234.9	46 928.0
103.8	48 886.0	48 448.2	48 304.9	48 009.1	47 688.0	47 452.4	47 386.6	47 078.8
104.0	49 042.0	48 603.0	48 459.3	48 162.6	47 840.6	47 604.3	47 538.3	47 229.6
104.2	49 198.1	48 757.8	48 613.7	48 316.1	47 993.2	47 756.2	47 690.0	47 380.4
104.4	49 354.2	48 912.6	48 768.1	48 469.7	48 145.8	47 908.1	47 841.8	47 531.3
104.6	49 510.3	49 067.5	48 922.5	48 623.2	48 298.5	48 060.1	47 993.5	47 682.1
104.8	49 666.4	49 222.3	49 076.9	48 776.8	48 451.1	48 212.0	48 145.3	47 833.0
105.0	49 822.6	49 377.2	49 231.4	48 930.4	48 603.8	48 364.0	48 297.1	47 983.9
105.2	49 978.7	49 532.0	49 385.8	49 084.0	48 756.4	48 516.0	48 448.9	48 134.7
105.4	50 134.8	49 686.9	49 540.3	49 237.6	48 909.1	48 668.0	48 600.6	48 285.6
105.6	50 291.0	49 841.8	49 694.8	49 391.2	49 061.8	48 820.0	48 752.4	48 436.5
105.8	50 447.1	49 996.7	49 849.2	49 544.8	49 214.4	48 972.0	48 904.3	48 587.4
106.0	50 603.2	50 151.5	50 003.7	49 698.4	49 367.1	49 123.9	49 056.1	48 738.4
106.2	50 759.4	50 306.4	50 158.1	49 852.0	49 519.8	49 275.9	49 207.9	48 889.3
106.4	50 915.5	50 461.3	50 312.6	50 005.6	49 672.5	49 427.9	49 359.7	49 040.2
106.6	51 071.6	50 616.1	50 467.0	50 159.2	49 825.1	49 579.9	49 511.5	49 191.1
106.8	51 227.7	50 771.0	50 621.5	50 312.8	49 977.8	49 731.9	49 663.3	49 342.0
107.0	51 383.8	50 925.8	50 775.9	50 466.4	50 130.5	49 883.9	49 815.0	49 492.9
107.2	51 539.9	51 080.7	50 930.3	50 619.9	50 283.1	50 035.8	49 966.8	49 643.8
107.4	51 696.0	51 235.5	51 084.7	50 773.5	50 435.7	50 187.8	50 118.6	49 794.6
107.6	51 852.1	51 390.3	51 239.1	50 927.0	50 588.4	50 339.7	50 270.3	49 945.5
107.8	52 008.1	51 545.0	51 393.5	51 080.6	50 741.0	50 491.7	50 422.1	50 096.3
108.0	52 164.1	51 699.8	51 547.8	51 234.1	50 893.5	50 643.6	50 573.8	50 247.1
108.2	52 320.1	51 854.5	51 702.2	51 387.5	51 046.1	50 795.4	50 725.5	50 398.0
108.4	52 476.0	52 009.3	51 856.5	51 541.0	51 198.6	50 947.3	50 877.1	50 548.7
108.6	52 632.0	52 163.9	52 010.7	51 694.4	51 351.1	51 099.1	51 028.8	50 699.5
108.8	52 787.9	52 318.6	52 165.0	51 847.8	51 503.6	51 250.9	51 180.4	50 850.2
109.0	52 943.7	52 473.2	52 319.2	52 001.2	51 656.1	51 402.7	51 332.0	51 000.9
109.2	53 099.6	52 627.8	52 473.4	52 154.5	51 808.5	51 554.5	51 483.5	51 151.6
109.4	53 255.4	52 782.4	52 627.5	52 307.8	51 960.9	51 706.2	51 635.1	51 302.3
109.6	53 411.1	52 936.9	52 781.6	52 461.1	52 113.2	51 857.9	51 786.6	51 452.9
109.8	53 566.9	53 091.4	52 935.7	52 614.3	52 265.6	52 009.5	51 938.0	51 603.4
110.0	53 722.5	53 245.8	53 089.7	52 767.5	52 417.8	52 161.1	52 089.4	51 754.0
110.2	53 878.2	53 400.2	53 243.7	52 920.7	52 570.1	52 312.7	52 240.8	51 904.5
110.4	54 033.7	53 554.5	53 397.7	53 073.8	52 722.3	52 464.2	52 392.2	52 054.9
110.6	54 189.3	53 708.8	53 551.6	53 226.8	52 874.4	52 615.7	52 543.4	52 205.3
110.8	54 344.7	53 863.1	53 705.4	53 379.8	53 026.5	52 767.1	52 694.7	52 355.7
111.0	54 500.2	54 017.3	53 859.2	53 532.8	53 178.5	52 918.5	52 845.9	52 506.0
111.2	54 655.5	54 171.4	54 012.9	53 685.7	53 330.5	53 069.8	52 997.0	52 656.3
111.4	54 810.9	54 325.5	54 166.6	53 838.5	53 482.5	53 221.1	53 148.1	52 806.5
111.6	54 966.1	54 479.5	54 320.2	53 991.3	53 634.4	53 372.3	53 299.1	52 956.6
111.8	55 121.3	54 633.5	54 473.8	54 144.0	53 786.2	53 523.5	53 450.1	53 106.7
112.0	55 276.4	54 787.3	54 627.3	54 296.7	53 937.9	53 674.6	53 601.0	53 256.8
112.2	55 431.5	54 941.2	54 780.7	54 449.3	54 089.6	53 825.6	53 751.9	53 406.8

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
112.4	55 586.5	55 094.9	54 934.1	54 601.8	54 241.3	53 976.6	53 902.6	53 556.7
112.6	55 741.4	55 248.6	55 087.3	54 754.3	54 392.8	54 127.5	54 053.4	53 706.5
112.8	55 896.2	55 402.3	55 240.6	54 906.7	54 544.3	54 278.3	54 204.0	53 856.3
113.0	56 051.0	55 555.8	55 393.7	55 059.0	54 695.8	54 429.1	54 354.6	54 006.0
113.2	56 205.7	55 709.3	55 546.8	55 211.3	54 847.1	54 579.8	54 505.1	54 155.7
113.4	56 360.3	55 862.7	55 699.8	55 363.4	54 998.4	54 730.4	54 655.5	54 305.2
113.6	56 514.8	56 016.0	55 852.7	55 515.5	55 149.6	54 880.9	54 805.9	54 454.7
113.8	56 669.2	56 169.2	56 005.5	55 667.5	55 300.7	55 031.4	54 956.2	54 604.1
114.0	56 823.6	56 322.3	56 158.3	55 819.4	55 451.7	55 181.7	55 106.4	54 753.5
114.2	56 977.8	56 475.4	56 310.9	55 971.3	55 602.7	55 332.0	55 256.5	54 902.7
114.4	57 132.0	56 628.3	56 463.5	56 123.0	55 753.5	55 482.2	55 406.5	55 051.9
114.6	57 286.1	56 781.2	56 616.0	56 274.7	55 904.3	55 632.4	55 556.4	55 201.0
114.8	57 440.1	56 934.0	56 768.3	56 426.3	56 055.0	55 782.4	55 706.3	55 349.9
115.0	57 593.9	57 086.7	56 920.6	56 577.7	56 205.6	55 932.3	55 856.0	55 498.8
115.2	57 747.7	57 239.2	57 072.8	56 729.1	56 356.1	56 082.2	56 005.7	55 647.6
115.4	57 901.4	57 391.7	57 224.9	56 880.4	56 506.4	56 231.9	56 155.2	55 796.3
115.6	58 055.0	57 544.1	57 376.9	57 031.5	56 656.7	56 381.5	56 304.7	55 945.0
115.8	58 208.4	57 696.4	57 528.7	57 182.6	56 806.9	56 531.1	56 454.0	56 093.5
116.0	58 361.8	57 848.5	57 680.5	57 333.6	56 957.0	56 680.5	56 603.3	56 241.9
116.2	58 515.0	58 000.6	57 832.2	57 484.4	57 107.0	56 829.8	56 752.4	56 390.2
116.4	58 668.1	58 152.5	57 983.7	57 635.1	57 256.8	56 979.0	56 901.5	56 538.3
116.6	58 821.1	58 304.3	58 135.1	57 785.8	57 406.6	57 128.2	57 050.4	56 686.4
116.8	58 974.0	58 456.0	58 286.4	57 936.3	57 556.2	57 277.1	57 199.2	56 834.4
117.0	59 126.8	58 607.6	58 437.6	58 086.7	57 705.7	57 426.0	57 347.9	56 982.3
117.2	59 279.4	58 759.0	58 588.7	58 236.9	57 855.1	57 574.8	57 496.5	57 130.0
117.4	59 431.9	58 910.4	58 739.7	58 387.1	58 004.4	57 723.4	57 644.9	57 277.6
117.6	59 584.3	59 061.6	58 890.5	58 537.1	58 153.6	57 871.9	57 793.3	57 425.1
117.8	59 736.6	59 212.7	59 041.2	58 687.0	58 302.6	58 020.3	57 941.5	57 572.5
118.0	59 888.7	59 363.6	59 191.7	58 836.8	58 451.5	58 168.6	58 089.6	57 719.7
118.2	60 040.7	59 514.4	59 342.2	58 986.4	58 600.3	58 316.7	58 237.5	57 866.9
118.4	60 192.5	59 665.1	59 492.4	59 135.9	58 748.9	58 464.7	58 385.4	58 013.8
118.6	60 344.2	59 815.6	59 642.6	59 285.3	58 897.4	58 612.6	58 533.1	58 160.7
118.8	60 495.8	59 966.0	59 792.6	59 434.5	59 045.8	58 760.3	58 680.6	58 307.4
119.0	60 647.2	60 116.3	59 942.5	59 583.6	59 194.0	58 907.9	58 828.0	58 454.0
119.2	60 798.5	60 266.4	60 092.2	59 732.5	59 342.1	59 055.4	58 975.3	58 600.5
119.4	60 949.6	60 416.3	60 241.8	59 881.3	59 490.0	59 202.7	59 122.4	58 746.8
119.6	61 100.6	60 566.2	60 391.2	60 030.0	59 637.8	59 349.8	59 269.4	58 892.9
119.8	61 251.4	60 715.8	60 540.5	60 178.4	59 785.5	59 496.9	59 416.3	59 039.0
120.0	61 402.0	60 865.3	60 689.6	60 326.8	59 932.9	59 643.7	59 563.0	59 184.8
120.2	61 552.5	61 014.7	60 838.6	60 475.0	60 080.3	59 790.4	59 709.5	59 330.5
120.4	61 702.9	61 163.8	60 987.4	60 623.0	60 227.5	59 937.0	59 855.9	59 476.1
120.6	61 853.0	61 312.9	61 136.0	60 770.9	60 374.5	60 083.4	60 002.1	59 621.5
120.8	62 003.0	61 461.7	61 284.5	60 918.6	60 521.3	60 229.6	60 148.2	59 766.8
121.0	62 152.9	61 610.4	61 432.8	61 066.1	60 668.0	60 375.7	60 294.1	59 911.8

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
121.2	62 302.5	61 758.9	61 581.0	61 213.5	60 814.6	60 521.6	60 439.8	60 056.8
121.4	62 452.0	61 907.3	61 728.9	61 360.7	60 960.9	60 667.4	60 585.4	60 201.5
121.6	62 601.3	62 055.4	61 876.7	61 507.7	61 107.1	60 812.9	60 730.8	60 346.1
121.8	62 750.4	62 203.4	62 024.4	61 654.6	61 253.1	60 958.3	60 876.0	60 490.5
122.0	62 899.4	62 351.2	62 171.8	61 801.2	61 399.0	61 103.6	61 021.1	60 634.8
122.2	63 048.1	62 498.9	62 319.1	61 947.7	61 544.7	61 248.6	61 166.0	60 778.9
122.4	63 196.7	62 646.3	62 466.1	62 094.1	61 690.1	61 393.5	61 310.7	60 922.8
122.6	63 345.1	62 793.6	62 613.0	62 240.2	61 835.4	61 538.2	61 455.2	61 066.5
122.8	63 493.3	62 940.7	62 759.7	62 386.1	61 980.6	61 682.7	61 599.5	61 210.0
123.0	63 641.3	63 087.5	62 906.3	62 531.9	62 125.5	61 827.0	61 743.7	61 353.4
123.2	63 789.1	63 234.2	63 052.6	62 677.5	62 270.2	61 971.2	61 887.6	61 496.6
123.4	63 936.7	63 380.7	63 198.7	62 822.8	62 414.8	62 115.1	62 031.4	61 639.5
123.6	64 084.1	63 527.0	63 344.6	62 968.0	62 559.1	62 258.9	62 175.0	61 782.3
123.8	64 231.3	63 673.1	63 490.4	63 113.0	62 703.3	62 402.4	62 318.4	61 924.9
124.0	64 378.3	63 819.0	63 635.9	63 257.7	62 847.2	62 545.8	62 461.6	62 067.3
124.2	64 525.1	63 964.7	63 781.2	63 402.3	62 991.0	62 688.9	62 604.6	62 209.5
124.4	64 671.7	64 110.1	63 926.3	63 546.7	63 134.6	62 831.9	62 747.3	62 351.5
124.6	64 818.0	64 255.4	64 071.2	63 690.8	63 277.9	62 974.6	62 889.9	62 493.3
124.8	64 964.2	64 400.4	64 215.9	63 834.8	63 421.0	63 117.2	63 032.3	62 634.9
125.0	65 110.1	64 545.3	64 360.4	63 978.5	63 564.0	63 259.5	63 174.4	62 776.3
125.2	65 255.8	64 689.9	64 504.6	64 122.0	63 706.7	63 401.6	63 316.4	62 917.4
125.4	65 401.3	64 834.3	64 648.7	64 265.3	63 849.2	63 543.5	63 458.1	63 058.4
125.6	65 546.5	64 978.4	64 792.5	64 408.4	63 991.4	63 685.2	63 599.6	63 199.1
125.8	65 691.6	65 122.4	64 936.1	64 551.2	64 133.5	63 826.6	63 740.9	63 339.7
126.0	65 836.3	65 266.1	65 079.4	64 693.9	64 275.3	63 967.9	63 882.0	63 480.0
126.2	65 980.9	65 409.6	65 222.5	64 836.3	64 416.9	64 108.9	64 022.9	63 620.0
126.4	66 125.2	65 552.8	65 365.4	64 978.4	64 558.3	64 249.7	64 163.5	63 759.9
126.6	66 269.3	65 695.8	65 508.1	65 120.3	64 699.4	64 390.2	64 303.9	63 899.5
126.8	66 413.2	65 838.6	65 650.5	65 262.0	64 840.3	64 530.6	64 444.0	64 038.9
127.0	66 556.8	65 981.1	65 792.7	65 403.5	64 981.0	64 670.6	64 584.0	64 178.1
127.2	66 700.1	66 123.4	65 934.6	65 544.7	65 121.4	64 810.5	64 723.7	64 317.0
127.4	66 843.2	66 265.5	66 076.3	65 685.7	65 261.6	64 950.1	64 863.1	64 455.7
127.6	66 986.1	66 407.2	66 217.8	65 826.4	65 401.5	65 089.5	65 002.3	64 594.1
127.8	67 128.7	66 548.8	66 359.0	65 966.9	65 541.2	65 228.6	65 141.3	64 732.3
128.0	67 271.0	66 690.1	66 499.9	66 107.1	65 680.7	65 367.5	65 280.0	64 870.3
128.2	67 413.1	66 831.1	66 640.6	66 247.1	65 819.9	65 506.1	65 418.5	65 008.0
128.4	67 554.9	66 971.9	66 781.0	66 386.8	65 958.8	65 644.5	65 556.7	65 145.5
128.6	67 696.5	67 112.4	66 921.2	66 526.3	66 097.5	65 782.6	65 694.6	65 282.7
128.8	67 837.8	67 252.6	67 061.1	66 665.5	66 235.9	65 920.4	65 832.3	65 419.6
129.0	67 978.8	67 392.6	67 200.7	66 804.4	66 374.1	66 058.0	65 969.8	65 556.3
129.2	68 119.5	67 532.3	67 340.1	66 943.1	66 512.0	66 195.4	66 106.9	65 692.8
129.4	68 260.0	67 671.8	67 479.2	67 081.5	66 649.6	66 332.5	66 243.9	65 828.9
129.6	68 400.2	67 810.9	67 618.0	67 219.6	66 787.0	66 469.3	66 380.5	65 964.9
129.8	68 540.1	67 949.8	67 756.6	67 357.4	66 924.1	66 605.8	66 516.9	66 100.5

(Fortsetzung)

2i [Grad]	Wellenlänge [nm]							
	435.8	467.8	480.0	508.6	546.1	579.1	589.3	643.8
130.0	68 679.8	68 088.4	67 894.8	67 495.0	67 060.9	66 742.1	66 653.0	66 235.9
130.2	68 819.1	68 226.8	68 032.8	67 632.3	67 197.5	66 878.1	66 788.8	66 371.0
130.4	68 958.2	68 364.8	68 170.5	67 769.3	67 333.7	67 013.8	66 924.4	66 505.8
130.6	69 096.9	68 502.6	68 308.0	67 906.1	67 469.7	67 149.2	67 059.7	66 640.3
130.8	69 235.4	68 640.0	68 445.1	68 042.5	67 605.4	67 284.3	67 194.7	66 774.6
131.0	69 373.6	68 777.2	68 581.9	68 178.7	67 740.8	67 419.2	67 329.4	66 908.6
131.2	69 511.5	68 914.1	68 718.5	68 314.5	67 876.0	67 553.8	67 463.8	67 042.3
131.4	69 649.1	69 050.7	68 854.8	68 450.1	68 010.8	67 688.1	67 597.9	67 175.7
131.6	69 786.4	69 187.0	68 990.7	68 585.4	68 145.3	67 822.1	67 731.8	67 308.8
131.8	69 923.4	69 322.9	69 126.4	68 720.4	68 279.6	67 955.8	67 865.3	67 441.7
132.0	70 060.1	69 458.6	69 261.7	68 855.1	68 413.5	68 089.2	67 998.6	67 574.2