

*Vorticella aquadulcis* complex (originals from a population attached to *Fragilaria* in Lake Mondsee, Austria. 17–20, *in vivo*; 21, 25, 26, scanning electron micrographs; 22, silver nitrate impregnation; 23, 24, 27, protargol impregnation). 17–19: Extended specimens showing pyriform shape, coarse pellicle striation, ellipsoidal macronucleus, and short stalk. Arrow in (19) denotes anlage of aboral ciliary wreath. 20: Squeezed specimen showing macronucleus. 21, 25, 26: Anterior polar view (asterisk marks contracted oral opening), lateral view, and oblique posterior polar view of contracted specimens. Note coarse pellicle striation and short, helically contracted stalk. 22: Silverline system. 23, 24, 27: Strongly developed contractile apparatus (myoneme system) in anterior polar, posterior polar and lateral view (cp. Figures 14–16). AC = adoral ciliary spiral, AW = anlage of aboral ciliary wreath, MA = macronucleus, MY = myonemes, S = scopula (stalk attachment site).

Plate 21. *Mallomonas*, *Mallomonas* 8.

a-c. *Mallomonas galeiformis*. - a: Scale with dome. - b: Domeless scales (Canada, Nicholls 1990b). - c: Bristle with lance-shaped tip (Canada, Nicholls 1988a).

d-e. *M. corcontica*. - d: Scale. - e: Bristle with lance-shaped tip (Canada, Nicholls 1982).

f-h. *M. sphagniphila*. - f: Scales. - g: Dentate bristles. - h: Lance-shaped bristles (Nicholls 1987c).

i-l. *M. acaroides*. - i: Scales, SEM (Bulgaria, Kristiansen 1971). - j: Scale (Denmark, Asmund & Kristiansen 1986). - k: Helmet-shaped bristle (Denmark, JK). - l: Serrated bristle (Denmark, Asmund & Kristiansen 1986).




Plate 38. *Synura*, Petersenianae 2.

- a–e. *Synura petersenii*. – a–b: Body scales (Denmark, JK). – c: Small caudal scale (Greenland, JK). – d: Long caudal scale (Denmark, JK). – e: Very long caudal scale (Greenland, JK).
- f. *S. petersenii* f. *asmundiae*. – Scales (Sweden, Cronberg & Kristiansen 1980).
- g. *S. petersenii* f. *bjoerkii*. – Scale (Sweden, Cronberg & Kristiansen 1980).
- h. *S. petersenii* f. *bonaerensis*. – Scale, SEM (Argentina, Vigna 1979).
- i. *S. petersenii* f. *columnata*, SEM. – Scale (U.S.A., Siver 1988d).
- j–l. *S. petersenii* f. *glabra*. – j: Body scale with short struts. – k: Body scale without struts. – l: Caudal scale without struts (Denmark, JK).
- m–n. *S. petersenii* f. *kufferathii*. – m: Apical scale. – n: Body scale (Greenland, JK).
- o. *S. petersenii* f. *praefracta*. – Scale. Inserted: spine tip at higher magnification (Hungary, Barreto 2005).
- p. *S. petersenii* f. *taymyrensis*. – Scale (Siberia, JK).
- q. *S. petersenii* f. *truttae*, SEM. – Body scales (U.S.A., Siver 1987).

